


Q1 Would you prefer a 2 unisex plus 1 accessible or 3 Unisex plus 1 accessible cubicle provision?


Answered: 49 Skipped: 5



ANSWER CHOICES	RESPONSES	
2 Unisex plus 1 Accessible Cubicle	12.24%	6
3 Unisex plus 1 Accessible Cubicle	87.76%	43
TOTAL		49

Q2 Would you support the provision of pay-to-use showers as part of the development?


Answered: 53 Skipped: 1



ANSWER CHOICES	RESPONSES	
Yes	75.47%	40
No	24.53%	13
TOTAL		53

Q3 Would you support the inclusion of a "Refill" point (for drinking water) at the new facilities?


Answered: 53 Skipped: 1



ANSWER CHOICES	RESPONSES
Yes	92.45% 49
No	7.55% 4
TOTAL	53

Q4 There is an option to have a community project relating to the appearance of the facilities. Do you support this?


Answered: 53 Skipped: 1



ANSWER CHOICES	RESPONSES	
Yes	86.79%	46
No	13.21%	7
TOTAL		53

Q5 Do you think the council should work with partners regarding other public realm enhancements in the adjoining areas?


Answered: 54 Skipped: 0



ANSWER CHOICES	RESPONSES	
Yes	90.74%	49
No	9.26%	5
TOTAL		54

Q6 Would you support a link between enhancements and Beach Safety initiatives?

Answered: 54 Skipped: 0



ANSWER CHOICES	RESPONSES	
Yes	92.59%	50
No	7.41%	4
TOTAL		54